



T113

1001

1
Township 113 North

North Belton Ranges 25 & 26 West of
5th Principal Meridian

chain

North

Belton Section 31 & 36

Variation 10° 45' East

10

Indian trail bears NW

level

23.70

Road bears SW

d 40

24.08

Elm 45 in. Diam and
enter Minnesota river bottom

d 2

40.00

Set quarter Section post

level

{ Elm 7 S 59 W 26 Lks

{ Elm 12 N 44 E 31 "

47.50

Enter level bottom SW

d 5

59.00

Leave same for dry bottom again

d 5

80.00

Set post corner to Sects 25, 30, 31 & 36

level

{ Hackberry 10 N 65 E 4 Lks

{ Ash 10 S 39 E 16 "

{ Box alder 8 S 83 W 46 "

{ Ash 6 N 44 W 77 "

Surface south 1/4 hilly remainder
nearly level bottom soil H. rate.

Timber Elm ash oak Linn
& Hackberry. Undergrowth oak
Linn Pickleg ash &c

Township 113 North

Between Ranges 25 & 26 West of 5th
Principal Meridian

Chains North Between Sections 25 & 30 feet

Chains	North	Between Sections 25 & 30	feet
		Variation 10° 45' East	
15.62		Elm 48 in Diam	level
34.50		Center Wet bottom bears West	d 5
40.00		Set Post for quarter Section & meander corner on Right bank of Minnesota river	level
		{ Willow 12 S 50° W 28 1/2 Links	
		{ Willow 6 N 78 1/4° E 14 1/2	
		Thence along margin of river & at	
47.00		Set meander post on right bank & leave wet bottom for dry	a 15
		{ Hickory 7 N 41 1/2° E 19 Links	
		{ Linn 14 N 44° W 6 "	
80.00		Set post corner to Sects 19, 24, 25 & 30	level
		{ Elm 12 S 27° W 39 1/2 Links	
		{ Elm 12 S 10 1/2° E 47 1/2 "	
		{ Elm 12 N 46 1/2° W 76 1/2 "	
		{ Ash 12 N 2° E 117 1/2 "	
		Surface level Soil 2 nd rate Timber Elm Ash Hackberry Linn & Willow	

Township 113 North

Between Ranges 25 & 26 West of 5th Prin. Mer.

Chains North Between Sections 19 & 24 feet

Chains	North	Between Sections 19 & 24	feet
		Variation 10° 21' East	
20.00		Leave bottom bears NW for foot of bluff	a 10
34.00		Top of bluff bears NW	a 50
37.00		Bottom of same	d 40
40.00		Set quarter Sect post	level
		{ Maple 8 S 83° W 54 Links	
		{ Cottonwood 12 N 58 1/2° E 65 "	
41.00		foot of ridge again	a 5
51.00		Top of same	a 70
73.25		Ash 12 in Diam	d 20
80.00		Set post corner to Sects 13, 18, 19 & 24	a 10
		{ Hickory 6 S 21° W 13 Links	
		{ Iron 6 S 13° E 45 "	
		{ Ash 10 N 58° E 47 "	
		{ Walnut 6 N 56° W 45 "	
		Surface Hilly Soil 1 st rate Timber maple Linn Walnut Ash Hickory & Elm	

4

Township 113 North
Between Ranges 25 & 26 West of 5th Pm Mer.

Chain

Chain		feet
	North Between Sections 13 & 18 Variation 10° 21' East	
3.00	Top of ridge	600
8.93	Lim 14 in Diam	1507
10.80	Trail bears NE	110
11.50	Foot of ridge. Slough of river 100 ft deep wide bears NE no current 5 ft deep	110
	And enter Minnesota River bottom NE	
40.00	Set quarter section post { Maple 8 N 2° W 18 Lks { Maple 12 N 8° E 10 "	5
41.47	Intersect right bank of Minnesota river & mark a willow 7 in Diam for meander corner { Willow 7 N 85° W 10 Lks Offset west 3.00 chms from which flag on line on opposite bank bears N 32° 32' E Distance over 4.82 chms Therefor at	
46.29	Set meander post on left bank of river { Elm 12 N 32° W 302 { Elm 16 N 20° E 420	

5

Township 113 north
Between Ranges 25 & 26 West of 5th Pm Mer.

Chain

Chain		feet
75.50	Enter field E & W and leave bottom SW	10
80.00	Set Post corner to Sections 7, 12, 13 & 18 { Walnut 14 N 46° W 106 Lks { Walnut 12 N 35° E 139 " { Lim 16 S 45° W 35 " { Bur oak 24 S 27° E 123 "	10
	Surface gently rolling soil wt. 20% Timber on south fr elm oak Lim Cottonwood & Hackberry on north fr Scattering Bur oak & Elm	

6

Township 113 North

Between Ranges 25 & 26 West of 5th Prin. Mer.

Chains

North Between Sections 7 & 12

Variation 10° 06' East

.50	Beave field 8 x W	level
1.00	Elm 30 in Diam	level
16.40	road bears NE	a 10
20.65	Creek & Sink, under ruins NE	d 2
23.80	Maple 12 in Diam & foot of ridge	a 10
40.00	Set quarter Section post	a 30
	{ Blk oak 14 N 75 W 22 Lks	
	{ Iron 10 N 22 E 22 "	
52.00	Top of ridge	a 50
73.35	Maple 16 in Diam	level
80.00	Set post corner to Sects 1, 6, 7 & 12	level
	{ Maple 12 N 48 W 14 Lks	
	{ Maple 12 N 29 E 70 "	
	{ Ash 8 S 14 W 24 "	
	{ Maple 14 S 48 E 32 "	
	Surface rolling soil 1/2 rate	
	Timber maple Linn Ash oak	
	Elm & Iron	

7

Township 113 North

Between Ranges 25 & 26 West of 5th Prin. Mer.

Chain

North Between Sections 1 & 6

Variation 10° 25' East

40.00	Set quarter Section post	d 20
	{ Maple 10 S 12 1/2 E 39 Lks	
	{ Elm 9 S 10 W 52 "	
67.80	road bears NW	d 20
67.94	Linn 40 in Diam	level
80.00	Set post for corner to Townships	
	113 & 114 North Ranges	
	25 & 26 West of 5 th Prin. Mer.	
	{ Sugar 10 N 27 E 14 Lks	
	{ Elm 9 S 24 E 26 "	
	{ Sugar 12 S 51 W 23 "	
	{ Elm 14 N 80 W 3 "	
	Surface rolling soil 1/2 rate	
	Timber maple Linn Ash Sugar	
	Elm oak & Iron	

June 15th 1855

8

East on random line Between Townships
113 & 114 of Range 25 West of 5th P.M.

At 5 miles 76.50 chains
Intersected Corner to Townships
113 & 114 of Ranges 24 & 25
188 Links South of post
Therefore the correction will
be 31.33 Links North per mile

90 m

9

West on True Line Between Townships 113 & 114
North of Range 25 West of 5th P.M.
Chain feet

Chain	feet
West	Between Section 1 & 36
	Variation 10° 50' East
23.00	road at bank of Minnesota river leading to back country bears South
24.00	Enter wet marsh
40.00	Set quarter Section post <ul style="list-style-type: none"> { Willow 6 N13W 170 Links { Elm 8 N52E 536
40.10	Spring brook 32k wide runs North and leaves marsh for dry bottom
68.06	Intersect right bank of Minnesota river & set meander post <ul style="list-style-type: none"> { Elm 12 N55E 245 Links { Elm 16 S69W 122 "
	offset S 63/4 W 4.00 chns from which flag on line on opposite bank bears N 76° W therefore at
78.85	Set meander post on left bank of Minnesota river & enter timber <ul style="list-style-type: none"> { Maple 7 N56E 13 Links { Cottonwood 20 S71W 51 "

12

West Between Townships 113 & 114 North of
Range 25 West of 5th Prin. Mer.

Chains		feet
West	Between Sections 3 & 34	
	Variation 10° 35' East	
25.00	Enter Timber bears N E	level
32.30	Intersect right bank of Minnesota River & set meander post	level
	{ Elm 14 S 30 W 31 Links	
	{ Elm 16 N 68 E 34 "	
	offset South 1.60 chs thence West 1.20 chs to rim from which flag on line on opposite bank bears N 67° 10' W	
	Distance over 5.00 chs therefore at	
37.30	Left bank of river & set meander post	
	{ Willow 12 S 88 W 39 Links	
	{ Willow 12 N 8 W 14 "	
40.00	Set quarter section post & leave timber	
	Ash 6 S 11 W 122 Links	
	Box alder 8 N 84 E 65 "	
69.00	Intersect impassable marshy pond	
	bears S. W. offset South 5.00 chs	
	from which flag on line on opposite side bears	
	N 71° 5' W Distance over 15.30 chs	
	Surface line since 14 th set in timber Elm ash & oak	

13

West Between Townships 113 & 114 North
of Range 25 West of 5th Prin. Mer.

Chains		feet
West	Between Sections 4 & 33	
	Variation 10° 40' East	
4.30	Over pond & set Post for witness	level
	Corner to Sections 3, 21, 33 & 34	level
	{ Bur oak 16 N 17 1/2 E 3.47 Links	level
	{ Bur oak 14 N 24 W 2.20 "	
	{ Bur oak 20 S 88 W 8.50 "	
10.00	Leave bottom for foot of bluff N E.	a 10
15.60	Spring runs South	a 15
24.00	Top of bluff	a 40
25.30	Enter field bears N E	level
31.10	Leave same bears S E & enter timber	level
32.30	House 2.00 chs South	level
40.00	Set quarter section post	level
	{ Elm 10 N 79 E 34 Links	
	{ Bur oak 30 S 48 W 62 "	
42.00	Brow of hill	d 5
46.50	Enter bottom bears S E	d 50
49.30	Track 5-Links wide runs S E	d 5
52.50	Leave bottom bears S E	a 10
56.50	Top of hill	a 80

14

West Between Townships 113 & 114 North
of Range 25 West of 5th Prin. Mer.

Chms

feet

78.00	road from Walkers Landing N & S	level
80.00	Set post corner to Sections 4, 5, 32 & 33	a 2
	{ Bur oak 16 S 52 E 491 Sts	
	{ Bur oak 14 S 89 W 435 "	
	{ Bur oak 14 N 83 1/2 W 577 "	
	{ Elm 10 N 48 1/2 E 354 "	
	Surface hilly soil 1 st rate Timber	
	Scattering oak Elm & Elm	

June 18th 1855

15

West Between Townships 113 & 114 North
of Range 25 West of 5th Prin. Mer.

Chms

feet

	West Between Sections 5 & 32	
	Variation 10° 25' East	
18.60	Enter field bears North	a 5
24.00	Leave same North	level
24.20	road bears north	level
35.00	Brow of ridge	d 5
38.20	Foot of ridge & creek 12 links wide runs South d 60	
40.00	Set quarter section post	a 5
	{ Ash 16 S 27 W 30 Sts	
	{ Elm 16 N 83 E 38 "	
43.00	Foot of hill	a 10
50.00	Top of same	a 80
65.00	Brow of same	d 10
71.50	rain + spring brook runs S E	d 20
75.00	Top of ridge again	a 30
80.00	Set post corner to Sections 5, 6, 31 & 32	level
	{ Sugar 20 N 78 W 25 Sts	
	{ Iron 7 N 52 E 27 "	
	{ Hickory 7 S 40 E 42 "	
	{ Iron 6 S 41 W 28 "	

Surface hilly soil 1st rate Timber oak Elm Sugar Elm ash haw maple + Hickory

16

West Between Townships 113 + 114 North of
Range 25 West of 5th Prin. Mer.

Chains

Chains	West	Between Sections 6 + 31	feet
		Variation 10° 35' East	
15.30	Spring brook runs South		d 20
23.75	Crack 5 Lks wide runs S E		d 10
40.00	Set quarter Section post		a 15
	{ Elm 20 N 24 E 49 lks		
	{ Elm 18 S 75 W 109 "		
41.00	Enter wet brushy prairie N E		level
60.00	Leave same N E		level
73.80	Spring runs north		level
76.50	Township corner		a 5
	Surface gently rolling soil		
	at rate timber Elm oak		
	ash maple & Linn		
	June 19 th 1855		

17

Township 113 North
North Between Ranges 26 + 27 West of 5th Prin. Mer.

Chains

Chains	North	Between Sections 31 + 36	feet
		Variation 10° 05' East	
40.00	Set quarter Section post in mound as per instructions		level
80.00	Set post in mound as per instructions		
	Corner to Sections 25, 30, 31 + 36		a 10
	Surface rolling prairie soil at rate		